

## **LISTING OF CLAIMS**

Please amend the claims as follows:

1. (Previously presented) A metal wood golf club head adapted for attachment to a shaft comprising:

a substantially hollow body welded to a substantially oval shaped stamped metal impact insert;

the body including a heel portion, a toe portion, a crown portion, a sole plate, a skirt portion connecting the heel portion to the toe portion, and a face perimeter having an opening of a configuration for receiving the stamped metal impact insert;

an upper section of the face perimeter forming a transition junction with the crown portion, and a lower section of the perimeter face forming a transition junction with the sole plate; and

the opening of the face perimeter at least about 0.20 inch from either the transition junction at the upper section or the transition junction at the lower section,

thereby, substantially eliminating welding at the transition junctions.

2-4 (Cancelled)

5. (Previously presented) The golf club head of claim 1, wherein a shell thickness of the face perimeter is approximately 0.08 inch.

6. (Previously presented) The golf club head of claim 5, wherein the hollow body and the insert are made substantially of titanium or titanium based alloy.

7. (Previously presented) The golf club head of claim 6, wherein a variable wall thickness of the insert is approximately 0.10 inch at its center to about 0.09 inch at its outer edge.

8. (Previously presented) The golf club head of claim 7, wherein the insert comprises at least two different radii of curvature for interior and exterior surfaces.
9. (Previously presented) The golf club head of claim 1, wherein the size of the club head is between about 350 to about 500 cubic centimeters.
10. (Original) The golf club head of claim 9, wherein the body and the insert are made from a titanium alloy.
11. (Previously presented) The golf club head of claim 1, wherein the size of the club head is between about 270 to about 500 cubic centimeters.
12. (Original) The golf club head of claim 11, wherein the body is substantially 6-4 titanium alloy and the insert is substantially 15-3-3-3 titanium alloy.
13. (Currently amended) The golf club head of claim 12, wherein the wall of the insert has a ~~uniform~~ thickness[[of]] between about 0.100 inch to about 0.125 inch.
14. (Original) The golf club head of claim 1, wherein the size of the club head is between about 230 to 350 cubic centimeters.
15. (Currently amended) The golf club head of claim 14, wherein the wall of the insert has a ~~uniform~~ thickness between about 0.075 inch to 0.105 inch.
16. (Previously presented) The golf club head of claim 14, wherein the club head has a loft being equal to or greater than 13°.
17. (Currently amended) The golf club head of claim 16, wherein the wall of the insert has a ~~uniform~~ thickness, the thickness dimension being between about 0.05 inch to 0.09 inch.

**18.** (Previously presented) The golf club head of claim 1, wherein the body includes a generally cylindrical hosel extending from the heel portion, an extension of the hosel centerline axis having an intersection point with the sole plate, and a weight element disposed on the sole plate centered at a location substantially rearward from the intersection point in an area adjacent to the juncture of the heel and skirt portions.

**19-20** (Cancelled)

**21.** (Previously presented) The golf club head of claim 18, wherein the center of the weight element is disposed at a distance greater than about 1.5 inches from the intersection point.

**22.** (Previously presented) The golf club head of claim 18, wherein the center of the weight element is disposed at a distance greater than about 1.0 inch from the intersection point.

**23.** (Previously presented) The golf club head of claim 18, wherein the weight element is greater than 16 grams.

**24-29.** (Cancelled)